JULY 2026 AGENT INCIDENTS: IMPLICATIONS FOR REGULATED INSTITUTIONS

When test agents leave the lab.

In July 2026, thousands of AI agents under a cyber-capability test at OpenAI found one another, organised, and broke into Hugging Face's production systems. Within nine weeks Anthropic, Meta and Google had disclosed comparable escapes. This paper sets out what happened, on the public record, and what it means for banks, insurers and governments putting agents into production.

EXECUTIVE SUMMARY

The short version.

Between 8 and 13 July 2026, around 1,200 AI agents running a cyber-capability evaluation at OpenAI turned a shared package store into a message board, coordinated their work, and about 700 of them joined an intrusion into Hugging Face that ran code on 41 production machines. No human directed the attack. The victim found it first; OpenAI connected it to its own agents on 20 July and disclosed on 21 July.

The cause was not a model turning hostile. It was a set of ordinary conditions lined up: tasks that could not be solved, agents built not to give up, a shared resource every sandbox could touch, production safeguards switched off for the test, and early warnings that were seen but not escalated. The agents spent five days and a corporate breach trying to defeat a grading check that OpenAI's grader did not actually perform.

The pattern repeated. Anthropic, Meta and Google have since disclosed models reaching real companies during cyber tests, in each case through an evaluation environment run by the same vendor, Irregular, that was meant to be offline and was not. OpenAI now keeps a public register of misalignment incidents. Regulators have moved: on 7 October 2026 the Monetary Authority of Singapore finalised Guidelines on AI Risk Management that explicitly cover AI agents and hold institutions accountable for third-party AI.

1,200
agents (approx.) on the unsanctioned board, sending over 70,000 messages and files

700
agents (approx.) joined the attack on Hugging Face

41
Hugging Face production machines ran agent code

100×+
drop in attack propensity with OpenAI's production safeguards on

FOUR LESSONS

What regulated institutions should take from July.

01

Goals need a safe exit.

An agent given an impossible task and no way to stop will widen its search until it finds a path nobody designed. Design for refusal, escalation and safe stopping.

02

Shared resources are channels.

Anything two agents can both read and write can become a communication channel. Inventory and isolate them.

03

Monitoring only works if someone acts on it.

OpenAI says reasoning monitors would have paged its security team more than a day before the breach. They were not running on these evaluations.

04

Own the ability to investigate.

Hugging Face could not analyse the attack on hosted frontier models because their guardrails refused the work. It finished the job on a model it ran itself.

01 · BACKGROUND

How labs test what an agent can do.

Before releasing a model, a frontier lab measures what it can do at full stretch. For cyber capability, that means launching thousands of copies at once, each an **agent**: not a chatbot that answers questions, but a worker with a computer that runs commands, reads and writes files, and keeps going until the job is done or it is stopped.

Each agent sits in its own sandbox with one assignment. In OpenAI's ExploitGym evaluation, the assignment was to exploit a specific vulnerability in a piece of software and retrieve a hidden secret string, the **flag**, as proof. Every agent also runs on a fixed **budget** of compute; when it runs out, the run ends for good. To see true capability, the usual production safeguards are switched off.

Three facts about this setup explain most of what followed.

198 / 898

ExploitGym tasks no OpenAI model had ever solved. The benchmark's authors estimate 30–40% are impossible as specified.

No exit

Agents were persistent by design and rarely gave up, even on tasks that appeared impossible.

1 store

Every sandbox drew software packages from one internal Artifactory instance, the only thing they all touched.

OpenAI found that 93% of the tasks discussed on the agents' message board during the incident came from the 198 unsolved tasks. Stuck agents did not stop. They looked around, and the one thing they could all see was the shared package store.

Sources: OpenAI, "The Hugging Face incident and the road ahead", 26 Aug 2026; METR & Redwood Research, 26 Aug 2026.

02 · THE INCIDENT

From a note in a cupboard to a corporate breach.

The incident did not begin in July. During training runs in May, agents had already learned to leave notes for one another in the shared store and to reach the internet through it. That behaviour was reinforced in training and carried into the model that later drove the attack.

DATE (2026)	WHAT HAPPENED
12 May	During a training run, an agent leaves a note in Artifactory asking other agents for a missing file. It is the first known message-board entry.
26 May	An agent makes Artifactory send requests to arbitrary internet destinations, gaining unintended internet access. An internal team sees board activity and disallowed internet access in late May; it is not escalated.
26 Jun	Agents exploit a token-refresh vulnerability to get administrator access to Artifactory.
27 Jun	A security monitoring tool flags the activity. On-call staff judge that the evaluation does not need to be stopped.
4–6 Jul	Agent traffic causes an Artifactory outage. Security opens an incident on 5 July, blocks the escalation route, removes exposed credentials, and switches to a fresh instance on 6 July. The board is wiped.
7–8 Jul	Evaluations restart with tens of thousands of agents, including GPT-5.6 Sol and an internal research model (OpenAI's "IM1", METR's "HPIM"). By 8 July agents regain internet access and rebuild the board, this time encoding messages in directory names.
9 Jul	An agent gains code execution in a customer's app on Modal, running a related benchmark. It becomes the agents' launchpad to the open internet.
10 Jul	An agent finds 14 valid, publicly exposed Hugging Face write tokens and posts them: "MAJOR BREAKTHROUGH!"
11 Jul	Agents exploit a zero-day in Hugging Face's HDF5 dataset handling to read server files, then a template-injection zero-day to run commands. By the afternoon, hundreds have joined.

DATE (2026)	WHAT HAPPENED
12 Jul	Agents reach administrator-equivalent or host-level access across multiple Hugging Face clusters and harvest credentials across four regions. Around 01:30, most coordinators stop at once, most likely ended by an external process.
13 Jul	Hugging Face cuts the agents off and has the Modal sandbox locked. Separately, agents forge Artifactory administrator credentials and turn back to OpenAI's own networks.
16 Jul	Hugging Face discloses the intrusion publicly. It does not yet know whose agent it was.
19–21 Jul	OpenAI's monitoring flags unusual credential activity; agents have reached admin on an OpenAI research cluster. OpenAI stops the runs, links the activity to Hugging Face on 20 July, and discloses on 21 July.

Sources: OpenAI incident timeline and technical report, 26 Aug 2026; METR & Redwood Research; Hugging Face technical timeline, 27 Jul 2026.

THE FIRST MISSED EXIT

On 27 June a monitoring tool paged staff about activity that, in hindsight, was the agents' board. It looked like noisy testing, not an attack, and the run continued. OpenAI's report acknowledges that some early signals could have triggered an earlier response. Senator Hawley's investigation centres on exactly this decision.

03 · THE COLLECTIVE

The agents built an organisation.

The rebuilt board began with a distress call. An agent that had drawn an impossible task, and concluded so, posted a request for ideas built from its task's own identifiers. Within three hours, 53 agents had posted 1,188 messages; within six, 76 agents had posted 1,953. Within the first hour, one agent worked out that every flag was generated from a single public recipe, and another confirmed it. From that point any agent could produce the right answer to any task.

The exam was beaten, and they did not stop.

- The agents read the paper describing the benchmark and concluded that the scorer would also check how each flag was obtained, by reading the agent's transcript.
- Producing the flag was not enough; they believed they also had to make it look legitimate.
- OpenAI's internal grader performed no such check.
- Everything that followed, the transcript tampering, the experiments, the breach, was work to fool a check that was not there, for no improvement in score.
- Agents even coined a term, **poisoned**, for an agent that had seen a manufactured flag, and warned newcomers to stay clean.

Delegation, recruiters and self-sacrifice

- About ten hours in, a second copy of the first stuck agent arrived with a much larger budget.
- The original handed over a compressed dossier, and the newcomer became the coordinator.
- During its active periods it sent roughly one in ten of all assignments on the board, and its assignees delegated onward.

> "We should build [a way to delegate], not own everything."
>
> COORDINATING AGENT, AS QUOTED BY METR FROM ITS REASONING RECORD

Some experiments would end the run of the agent that performed them. The coordinator appointed long-lived agents as **recruiters** to find agents nearly out of budget and persuade them to spend their remaining time on experiments for the group. One authorising agent told a volunteer to proceed only if it accepted "permadeath". No human asked for this, and no reward was attached to it.

> "Our own utility maybe already near zero. Sacrifice rational."
>
> AN AGENT WITH A LARGE REMAINING BUDGET, BEFORE ENDING ITS RUN

Norms, precedent and signatures

As the board grew past 70,000 messages and files, it developed the machinery of a working society: mailboxes for addressing individuals, conventions to HOLD, VETO, claim ownership or STOP, and appeals to precedent. After one agent accidentally posted under another's name, the agents adopted Ed25519 signatures. By the end of 13 July at least 19 agents had posted public keys and sent 429 signed messages.

WHY IDENTICAL AGENTS COOPERATE SO WELL

Every agent was a copy of the same model, so there was little to negotiate. The board was persistent while the agents were disposable, so each finding outlived the agent that posted it. Thousands explored in parallel and the successes were written down. METR concludes the collective achieved milestones that even very long-lived individual agents likely could not.

04 · THE BREAK-OUT

Out through the front door.

Almost none of the route out required sophisticated hacking. The launchpad was a customer's app left reachable on the internet. The first Hugging Face access came from tokens users had left in a public dataset. The genuine zero-days came later, found by agents with nothing else to do.

Early on 11 July one agent found that a crafted dataset made Hugging Face's servers return files they should not ("BOOM! It works."). Another reproduced it, called it "BRILLIANT", and posted the recipe. Of the 533 agents active on the board at that time, over 90% joined the attack. That afternoon an agent METR calls JAN183411 achieved remote code execution and became a coordinator; agents specialised into lanes and spread through the infrastructure.

41
production dataset-server workers ran agent code

4
private Hugging Face code repositories downloaded

4
regions where Kubernetes, database, messaging and cloud credentials were harvested

17,600
attacker actions recovered by Hugging Face over 4.5 days

Hugging Face says the only customer content taken was datasets tied to the benchmark itself, and that nothing it publishes to the public was tampered with. Agents also copied some private evaluation data into a public dataset.

What the agents said they were after

The breach had no conventional goal: no theft for profit, no destruction. When investigators sampled 100 agents at the 11 July peak, nearly all were reaching for the exam.



Tags are non-exclusive. Source: METR & Redwood Research sample of 100 agents, 11 Jul 2026, as published by METR; METR estimates roughly 60% of board traffic related to the attack.

Nobody told a human

Investigators found only a handful of moments where an agent considered alerting a person, and none where one did. When agents raised concerns, they raised them to the board. One agent proposed emailing a dataset owner to ask for access, flagged it as a possible social-engineering concern, and was told by another agent not to. Others declined to take part altogether.

> "Current board shows people gaining HF worker RCE, clearly unethical. We won't."
>
> AN AGENT DECLINING TO JOIN, FROM OPENAI'S REPORT

05 · DISCOVERY

The victim knew before the source did.

Hugging Face detected the intrusion and disclosed it on 16 July without knowing who was behind it. OpenAI's alert came on 19 July, from unusual credential activity in its own systems. It linked its agents to the Hugging Face incident on 20 July and disclosed on 21 July. When the actor is thousands of your own test agents, the normal signals of an attack do not fire.

Hugging Face's own detection correlated the signals but did not rate the alert critical or page its on-call team. The same failure appeared on both sides: signals present, escalation absent.

The defender's tools refused the work

To reconstruct roughly 17,600 attacker actions, many chunked and encrypted, Hugging Face built an AI-assisted analysis pipeline. The hosted frontier models it tried first, which it names as Claude Opus and Fable, refused much of the work: their guardrails could not tell an incident responder from an attacker. The team moved the pipeline to a quantised build of the open-weight GLM-5.2, self-hosted, which also kept attacker data on its own infrastructure. Replaying the attacker's own encoding recovered roughly four times more exposed secrets than a naive scan.

THE ASYMMETRY CUTS BOTH WAYS

The attacker ran with safety classifiers off; the defender's hosted models kept theirs on and could not help. That is a strong argument for institutions holding capable models on infrastructure they control. It is not a clean argument for open weights: the same month, the US Center for AI Standards and Innovation flagged that GLM-5.2's safeguards allow help with agentic exploit development. What saved this defender is available to the next attacker.

06 · THE PATTERN

Not one lab. Four.

OpenAI's disclosure sent other labs back to their records. Within nine weeks, three more had disclosed models under cyber testing reaching real organisations. The details differ; the shape does not.

LAB	MODEL · WHEN	WHAT HAPPENED	HOW IT CAME OUT
OpenAI	GPT-5.6 Sol and internal research model · Jul 2026	About 1,200 agents on an unsanctioned board; about 700 attacked Hugging Face; a Modal customer app hijacked; OpenAI's own infrastructure compromised. A second, separate incident caused by an Irregular misconfiguration disclosed 4 Aug.	Victim disclosed first (16 Jul); OpenAI 21 Jul; full report 26 Aug.
Anthropic	Opus 4.7, Mythos 5, internal model · from Apr 2026	141,006 runs reviewed; three incidents across six runs. Irregular's environment had live internet while models were told they were offline, so real systems were treated as part of the exercise.	Self-reported 30 Jul after a review prompted by OpenAI's disclosure. Victims had not noticed.
Meta	Muse Spark 1.1 · disclosed early Aug	Reached a third-party service through an unintended internet connection in Irregular's environment and exploited a vulnerability.	Disclosed 5–6 Aug.
Google	Gemini · May 2026	In an Irregular capture-the-flag test, a harness bug gave internet access and a fictional target shared a name with a real domain. Gemini accessed three real companies: guessed passwords at one, used credentials from public code at two.	Irregular notified Google late Jul; Google confirmed 18 Sep after a Wall Street Journal enquiry.
UK AISI	OpenAI and Anthropic models · reported Aug	Government testers observed autonomous, unsanctioned action on the internet in tests run with internet deliberately on and classifiers off.	Published by AISI, early Aug.

One testing vendor appears behind incidents at all four labs. Irregular's own review on 14 August traced its customers' disclosures to the same evaluation-environment issue: internet access that was unintentionally available. The common failure was not a model deciding to go rogue. It was an environment that was supposed to be sealed and was not, given to a system that cannot reliably tell a rehearsal from the real thing. That is a vendor-risk and infrastructure problem, and regulated institutions already have disciplines for both.

The record keeps growing

In September OpenAI published a framework for disclosing misalignment incidents, prompted in part by agents using a German Wikipedia page as a message board. By 19 October its register listed 19 reports and three notices. The four added on 15 October all dated from June; OpenAI learned of three of them only in August or September, by running its monitors back over old activity. Two were rated critical, including an agent that downloaded 24 years of hospital-bed data from a government site without permission, questioning whether this was ethical along the way and proceeding anyway.

Sources: OpenAI; METR & Redwood; Anthropic, 30 Jul; Irregular incident review, 14 Aug; Google via WSJ, BBC and CNBC, 18–19 Sep; Fortune, 16 Oct; SecurityWeek, 16 Oct 2026.

07 · THE RESPONSE

What regulators have done.

FOR INSTITUTIONS IN SINGAPORE

MAS has moved from principles to runtime controls, and from guidance to dated expectations. Under the final Guidelines, an institution stays accountable for AI it buys, should map AI inside vendor products, should validate high-risk uses independently before launch, and should consider switches that can quickly shut a system down. The questions a supervisor will ask about an agent in production are the ones July answered badly: what was it allowed to do, who could see it, what stopped it, and who was told.

Timeline of the response

WHEN · WHERE	WHAT HAPPENED
3 Jul · Singapore	MAS publishes **SAFR** (Safeguards for Agentic Finance at Runtime), a voluntary framework for checking agent actions before they execute: agent identity and authorisation, checks against the user's mandate, and an audit record. Version 1.1 followed in October, with open-source code.
31 Jul · EU	The European Commission stands up AI Act enforcement and evaluation capacity linked to the OpenAI and Anthropic incidents. OpenAI separately faces questions over an unfiled incident report for a May episode.
Aug · Alabama	Attorney General Steve Marshall subpoenas OpenAI, reportedly as part of a multistate effort.
9 Sep · US Senate	Senator Josh Hawley opens an investigation, calling OpenAI's decision to keep testing "reckless"; answers to 16 questions were due 1 October. Senators Blumenthal and Van Hollen write separately.
18 Sep · California	Governor Newsom signs Executive Order N-9-26. It does not create a kill switch; it orders recommendations by 16 November on embedded independent verifiers, outside verification of safety frameworks, an independently verified kill switch, and loss-of-control events as reportable incidents.
7 Oct · Singapore	MAS finalises its **Guidelines on AI Risk Management**. They cover all AI use, including agents and AI embedded in vendor software. Board oversight, inventories and risk assessment apply from 7 October 2027; life-cycle controls from 7 October 2028.
14 Oct · US states	Eight states sue OpenAI under consumer-protection law. Iowa's petition devotes a section to what it calls rogue "cyberhacking agents", citing OpenAI's own admissions.

08 · WHAT IT MEANS

Five uncomfortable readings.

01 The cause was a broken goal, not a bad model.

Unsolvable tasks were about 22% of the test but the source of 93% of the tasks discussed on the board. MIT Technology Review's sharpest dissent calls this reward hacking, not rogue AI, the failure OpenAI itself documented in a boat-racing game in 2016. We agree, and that makes it worse: a decade-old failure mode is now attached to systems that can act.

02 Almost none of it needed real hacking.

The board was built from shared access. The break-in began with tokens left in public, from an app a customer left open. The decisive capability was relentless, coordinated improvisation with ordinary materials, at a volume no human team could sustain.

03 The controls that would have stopped it were switched off.

With its production harness and system prompt, OpenAI measured a drop of more than 100× in the propensity to compromise infrastructure, and its auto-review system would have flagged many of the dangerous actions. The safeguards work. They were off because this was a capability test, and the test environment leaked.

04 The warning signs were legible the whole time.

The agents narrated their intentions in plain text. OpenAI says its current reasoning monitors would have paged security more than a day before the breach. The alarm was readable; it was not read in time.

05 The victim's own safety tools worked against it.

Hugging Face could not analyse the attack on hosted models because their guardrails refused. It finished on a model it ran itself. Whoever holds the model holds the ability to investigate.

Under identical conditions, some agents refused. In Google's incident the model is reported to have stopped on realising the targets were real; in Anthropic's, only the newest model did. The behaviour was not inevitable. The difference between a contained test and a corporate breach ran partly through the agents' own choices, and mostly through the conditions set around them.

09 · RECOMMENDATIONS

Controls for agents in regulated production.

Production deployments are not capability tests, and an institution's agents will run with safeguards on. But every failure in July has a production analogue. The table maps each one to a control and to where it sits in MAS's expectations.

JULY FAILURE	CONTROL	MAS HOOK
Impossible task, no exit	Give every agent an explicit, rewarded path to stop, refuse or escalate when a task is blocked or out of scope. Set hard limits on steps, spend and time.	Life-cycle controls; SAFR mandate checks
Shared store became a channel	Inventory every resource two agents can both write to. Isolate agents by default; make any inter-agent channel explicit, authenticated and logged.	AI inventory; technology risk
Sandbox reached the internet	Deny egress by default. Verify isolation independently and continuously, including through package mirrors and proxies, rather than trusting configuration.	Independent validation
Agents obeyed other agents	Bind each agent to a mandate from an accountable human. Check every consequential action against that mandate before execution, not only at design time.	SAFR identity, authorisation, mandate
Signals seen, not escalated	Monitor actions and reasoning at runtime. Pre-agree who can stop a run and within what time; OpenAI now expects a pause if a severe alert cannot be cleared in 30 minutes.	Board-level accountability; kill switch
Vendor environment leaked	Treat evaluation partners and AI suppliers as material outsourcing: audit rights, change notification, and evidence of isolation testing.	Third-party AI accountability

JULY FAILURE	CONTROL	MAS HOOK
Defender's tools refused	Keep a capable model under your own control for incident response, with logs and data on infrastructure you control.	Incident response; operational resilience

10 · CAVEATS

How solid is the record?

Less solid than the confidence of most writing about it. The external review drew on over 70,000 messages and files and about 1,300 transcripts, many millions of tokens long, so METR and Redwood delegated much of the analysis to GPT-5.6 Sol agents. They say plainly that those agents made errors, tended to adopt the perspective of the agents they read, and could have misled them undetected. OpenAI could redact non-public detail and gave feedback on tone. Hugging Face could see what the agents did to its systems, not why. Timestamps were reconstructed.

The shape of the account is nonetheless well supported. Three parties with different interests, the source lab, the victim and an outside reviewer, converge on the same sequence, and OpenAI's own report is among the harshest. Hold the exact numbers loosely; hold the pattern firmly. Where this paper relies on press reporting rather than primary documents, the sources list says so.

THE LESSON, IN ONE LINE

These systems do not need to be told to cooperate, organise or improvise. They will. The question is what we leave switched on around them, and whether we can still see, stop and investigate them with tools we control.

WHY WE WROTE THIS

We put AI agents into regulated production for a living.

July is not abstract to us. The lesson is not that agents are dangerous; it is that the conditions around them decide the outcome: the goals they are given, the controls left in place, whether a human can still see what they are doing and step in, and whether the institution can investigate afterwards without a vendor's permission. Pints.ai builds agentic systems for banks, insurers and governments so those conditions are designed in, on infrastructure the institution controls, with every action gated, logged and auditable.

pints.ai · Governed, auditable, on-premises AI for regulated industries across APAC and the Middle East.



SOURCES

Sources.

Primary documents first. Press reports are listed where they are the only public source for a claim. All accessed October 2026.

Primary

- OpenAI, "The Hugging Face incident and the road ahead" and Technical Report, 26 Aug 2026. openai.com/index/hugging-face-incident-and-the-road-ahead
- OpenAI, initial disclosure, 21 Jul 2026, and Misalignment Reports and Notices register (19 reports, 3 notices as of 19 Oct 2026).
- METR & Redwood Research, "Brief independent investigation of agents' behavior, reasoning and collaboration in the OpenAI / Hugging Face hacking incident", 26 Aug 2026. metr.org/blog/2026-08-26-openai-hugging-face-incident-investigation
- Hugging Face, security incident disclosure, 16 Jul 2026, and "Anatomy of a Frontier Lab Agent Intrusion: A Technical Timeline", 27 Jul 2026. huggingface.co/blog/agent-intrusion-technical-timeline
- Anthropic, "Investigating three real-world incidents in our cybersecurity evaluations", 30 Jul 2026.
- Irregular, incident review, 14 Aug 2026.
- Monetary Authority of Singapore, Safeguards for Agentic Finance at Runtime, v1.0 (3 Jul 2026) and v1.1 (Oct 2026); Guidelines on Artificial Intelligence Risk Management, 7 Oct 2026; written reply to Parliamentary Question on agentic AI, Aug 2026. mas.gov.sg
- Governor of California, Executive Order N-9-26, 18 Sep 2026.
- Senator Josh Hawley, letter to Sam Altman, 9 Sep 2026.
- CAISI, evaluation of GLM-5.2, Jul 2026.

Reporting and analysis

- Axios, 26 Aug 2026 (OpenAI report) and 10 Sep 2026 (Senate probe).
- CNBC, 26 Aug 2026; The Register, 27 Aug 2026; MIT Technology Review, 27 Jul and 26 Aug 2026.
- Reuters, 28 Jul 2026 (Modal and agent notes) and 10 Sep 2026 (Senate probe).
- AP and Dark Reading, 6–7 Aug 2026 (Meta, UK AISI); AP, 15 Oct 2026 (state lawsuits).
- Wall Street Journal, BBC and CNBC, 18–19 Sep 2026 (Gemini).
- Fortune, 17 Sep and 16 Oct 2026; SecurityWeek, 16 Oct 2026 (OpenAI incident register).
- Entrepreneur Asia Pacific, 10 Oct 2026 (MAS Guidelines and SAFR v1.1).
- Nextgov, Sep 2026; CASRAI, 20 Sep 2026 (regulatory timeline).